

59

Notice of Allowability	Application No.	Applicant(s)	
	09/748,012	NAKANO, HIROYUKI	
	Examiner	Art Unit	
	Marc Jimenez	3726	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the RCE filed on 3/15/05.
2. ☒ The allowed claim(s) is/are 1,2 and 5-15.
3. ☒ The drawings filed on 27 December 2000 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☒ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).


* Certified copies not received: JAPAN 11-369952, dated 12/27/99.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|--|
| <ol style="list-style-type: none"> 1. <input type="checkbox"/> Notice of References Cited (PTO-892) 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____ 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit of Biological Material | <ol style="list-style-type: none"> 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) 6. <input type="checkbox"/> Interview Summary (PTO-413), Paper No./Mail Date _____ 7. <input type="checkbox"/> Examiner's Amendment/Comment 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance 9. <input type="checkbox"/> Other _____ |
|---|--|


 Marc Jimenez
 Primary Examiner
 Art Unit 3726
 March 28, 2005

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance:
2. The prior art does not teach or suggest a fixing roller having a fluororesin top layer applied on the periphery of a primer layer, wherein glass particles are mixed into either the primer layer or the primer layer and the top layer, in combination with all of the other claim limitations. Matsuyama (JP 57172374A) teaches mixing glass particles only in the top layer. There is no teaching in Matsuyama of mixing glass particles in the primer layer as required by the claims.
3. Applicant's amendments to the claims and arguments, see page 6, lines 7-20, filed 3/15/05, with respect to the rejection of claims 1, 2, and 5-15 under 35 U.S.C. 112 1st paragraph have been fully considered and are persuasive. The rejection of claims 1, 2, and 5-15 under 35 U.S.C. 112 1st paragraph has been withdrawn.
4. Applicant's arguments, see page 7, lines 5-13, filed 3/15/05, with respect to the rejection of claims 2, 5, and 6 under 35 U.S.C. 112 2nd paragraph have been fully considered and are persuasive. The rejection of claims 2, 5, and 6 under 35 U.S.C. 112 2nd paragraph has been withdrawn.


Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 3726

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Marc Jimenez whose telephone number (571) 272-4530. The examiner can normally be reached on Monday-Friday between 5:30 a.m.-2:00 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Peter Vo can be reached on (571) 272-4690. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Marc Jimenez
Primary Examiner
Art Unit 3726

MJ

March 28, 2005